






Merenje struje

AC klešta

 <p>3280-10</p> <p>3280-20 True RMS</p>	<p>3280-10</p>	<p>do 1000A, 33mm dijametar, težine samo 100g i debljine samo 16mm Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
 <p>3280-10</p> <p>3280-20 True RMS</p>	<p>3280-20</p>	<p>True RMS, do 1000A, 33mm dijametar, težine samo 100g i debljine samo 16mm Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
 <p>3281 CAT II 600V True RMS</p> <p>3282 CAT II 600V True RMS</p>	<p>3281</p>	<p>True RMS, do 600A, 33mm dijametar Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
 <p>3281 CAT II 600V True RMS</p> <p>3282 CAT II 600V True RMS</p>	<p>3282</p>	<p>True RMS, do 1000A, 46mm dijametar Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>

	<p>3283</p>	<p>Struje curenja, True RMS, 10mA do 200A opsezi, 10uA najbolja rezolucija, 40mm dijametar Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
	<p>3286-20</p>	<p>Ručna klešta, V,A,W,VA,var,PF,HZ,Harmonici (V,A), 55mm dijametar, RS-232C Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
	<p>3291-50</p>	<p>True RMS, dinamički 60A do 1000A opsezi Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
	<p>3293-50</p>	<p>True RMS, 30mA do 1000A sa 10uA rezolucijom Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>

AC/DC klešta...

	<p>3284</p>	<p>True RMS, do 200A, 33mm dijametar, analogni/monitoring izlaz Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf</p>
---	--------------------	--



3285

True RMS, do 2000A, 55mm dijametar, analogni/monitoring izlaz
Više na: <http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf>



3287

True RMS, do 100A, 35mm dijametar
Više na: <http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf>



3288

3288

do 1000A, 35mm dijametar
Više na: <http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf>



3288

3288-20

True RMS, do 1000A, 35mm dijametar
Više na: <http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf>




3290/3290-10

Za DC ili AC pri frekvencijama niskim čak od 1Hz
Više na: <http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf>


Klešta za struje curenja...

	3283	Struje curenja, True RMS, 10mA do 200A opsezi, 10uA best rezolucija, 40mm dijametar Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf
	3293-50	True RMS, 30mA do 1000A sa 10uA rezolucijom Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf

Klešta za Snagu/Fazni ugao/Harmonike...

	3286-20	Ručna klešta, V,A,W,VA,var,PF,Hz,Harmonici (V,A), 55mm dijametar, RS-232C Više na: http://www.hioki.com/product/pdf/ClampsE5-3XB.pdf
---	----------------	---

Dugoročno snimanje struje...

	LR5051	2 kanalni AC strujni logger; 0 do 1000A AC Više na: http://www.hioki.com/product/pdf/LR5000sE3-19M-00H.pdf
---	---------------	--

Uvoznik:

Melco Buda d.o.o.

- kancelarija u Beogradu: Hadži Nikole Živkovića br.2
Poslovna zgrada Iskra komerc, kancelarija 15/ II sprat
tel: 011/ 2181 609, SBB tel: 011/40-55-420, tel/faks: 011/ 3286 445
e mail: office-beograd@melcobuda.co.rs , budimir.melcobuda@gmail.com
www.melcobuda.co.rs , www.kyoritsu-instrumenti.com , www.termovizija.com

- kancelarija u Despotovcu: Saveza Boraca br.7, 35213 Despotovac, Srbija
tel:035/612 916, faks:035/613 319, mob. 063/8003370
e mail: office@kyoritsu-instrumenti.com , office@melcobuda.co.rs

- Germany address: Quer strasse 18 Offenbach